

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Scholar Preferences](#) | [Sign in](#)

Google scholar

nsaid arthritis matrix cartilage

Search

[Advanced Scholar Search](#)

Scholar

Articles and patents

anytime

include citations



Create email alert

Results 1 - 10 of about 6,960. (0.13 sec)

### Expression of **matrix** metalloproteinase 9 (96-kd gelatinase B) in human rheumatoid **arthritis**

D Ahrens, AE Koch, RM Pope... - **Arthritis & ...**, 1996 - interscience.wiley.com

... These results indicate that MMP-9 may be a useful marker of progres- sive inflammatory disease associated with abnormally high **matrix** turnover, which is ... RA = rheumatoid **arthritis**; OA = osteoarthritis; IA = other inflammatory **arthritis**; **NSAID** = nonsteroidal antiinflammatory drug ...

[Cited by 180](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

### Increased serum concentrations of **cartilage** oligomeric **matrix** protein. A prognostic marker in early rheumatoid **arthritis**

K Forslind, K Eberhardt, A Jonsson... - **Rheumatology**, 1992 - Br Soc Rheumatology

... Seven of the patients with non-aggressive disease were treated with **NSAIDs**, two with ... Therapeutic effects on **cartilage** metabolism in **arthritis** as measured by release of proteoglycan ... D, Oldberg A. Structure and biology of **cartilage** and bone **matrix** noncollagenous macro ...

[Cited by 85](#) - [Related articles](#) - [All 5 versions](#)

### ... messenger RNA in synovium and **cartilage**. Quantitative comparison with stromelysin messenger RNA levels in human rheumatoid **arthritis** and osteoarthritis patients ...

C Gloria, KL WolfeMs, FFB MacnaulBs... - **Arthritis & ...**, 1993 - interscience.wiley.com

... **NSAID NSAID** ... This concept is consistent with evidence from the IL-1-injected rabbit model of acute inflammatory **arthritis** and from human reactive **arthritis**, in which stromelysin is transiently expressed, **cartilage** aggrecan is transiently lost, the collagen **matrix** is apparently ...

[Cited by 73](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

### Detection of cytokines at the **cartilage**/pannus junction in patients with rheumatoid **arthritis**: implications for the role of cytokines in **cartilage** destruction and repair

OQ Chu, M Field, S Allard, E Abney... - ..., 1992 - Br Soc Rheumatology

... Drugs: **NSAID** = Non-steroidal ... Shiozawa K. A review of the histopath- ological evidence on the pathogenesis of **cartilage** destruction in rheumatoid **arthritis**. ... Chondrocyte-derived cells and **matrix** at the rheu- matoid **cartilage**-pannus junction identified with monoclonal antibodies. ...

[Cited by 166](#) - [Related articles](#) - [All 5 versions](#)

### [HTML] **Matrix** metalloproteinases and tissue inhibitors of metalloproteinases in synovial fluids from patients with rheumatoid **arthritis** or osteoarthritis

[\[HTML\] from bmj.com](#)

Y Yoshihara, H Nakamura, K Obata... - **Annals of the ...**, 2000 - ard.bmj.com

... Fifty two patients with OA received various **NSAIDs** for knee pain. ... from SF, this MMP may act as one of the most powerful MMPs for the loss of **cartilage matrix** through direct ... The data of an early

study on the collagen-induced **arthritis** in MMP-3 deficient mice suggested that joint ...

[Cited by 272](#) - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)

**Cartilage** and bone metabolism in rheumatoid **arthritis**. Differences between rapid and slow progression of disease identified by serum markers of **cartilage** ...

[\[PDF\] from nih.gov](#)

B Månsson, D Carey, M Alini... - Journal of clinical ..., 1995 - ncbi.nlm.nih.gov

... 1. Abbreviations used in this paper: COMP, cartilageoligomeric **matrix** protein; CPH, type H procollagen C-propeptide ... reactive protein; ESR, erythrocyte sedimentation rate; HA, hyaluronan; KS, kera- tan sulfate; **NSAID**, non-steroidal ... Skeletal Markers in Rheumatoid **Arthritis** 1071 ...

[Cited by 159](#) - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)

Relationship between **matrix** proteoglycan content and the effects of salicylate and indomethacin on articular **cartilage**

MJ Palmoski... - **Arthritis & Rheumatism**, 1983 - interscience.wiley.com

... undertaken to examine further the relationship between the PG content Of joint **cartilage** and the effect of **NSAID** on glycosamin ... **Arthritis** and Rheumatism, Vol ... P < 0.01) (Table 2). To examine the effects of salicylate and indo- methacin on loaded **cartilage** whose **matrix** was deplet ...

[Cited by 50](#) - [Related articles](#) - [All 2 versions](#)

Levels of circulating collagenase, stromelysin-1, and tissue inhibitor of **matrix** metalloproteinases 1 in patients with rheumatoid **arthritis**: relationship to serum levels of ...

DH Manicourt, N Fujimoto... - **Arthritis & ...**, 1995 - interscience.wiley.com

... tions taken by the patients, there was no attempt to correlate or implicate various **NSAID** or DMARD ...  
0 6 0 7 0 1 0 AGE AGE Figure 1. Concentrations of **matrix** metalloproteinases (MMPs ... I), and antigenic keratan sulfate (KS) in the serum of patients with rheumatoid **arthritis** (0) and ...

[Cited by 198](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

Therapeutic effects on **cartilage** metabolism in **arthritis** as measured by release of proteoglycan structures into the synovial fluid.

[\[PDF\] from nih.gov](#)

T Saxne, D Heinegard... - British Medical Journal, 1986 - ard.bmj.com

... All were treated with **NSAIDs**. No glucocorticoids had been given orally or intra- articularly during the three months before thefirst joint aspiration. ... Page 4. Therapeutic effects on **cartilage** metabolism in **arthritis** 493 o o me 0t .21 6 6 -o C4 Rt al 00 OnC o 0 100C c ...


[Cited by 94](#) - [Related articles](#) - [All 8 versions](#)

The effects of **NSAID** on the **matrix** of human articular cartilages

JT Dingle - Zeitschrift für Rheumatologie, 1999 - Springer

... was compared, it was demonstrated that in osteoar- thritis (OA) and rheumatoid **arthritis** (RA) cartilages ... How- ever, the turnover rate of **matrix** was not significantly different between Non-arthritic and ... The action of 13 **NSAIDs** was compared in terms of their effect on **cartilage** GAG ...

[Cited by 42](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

 [Create email alert](#)



Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

nsaid arthritis matrix cartilage

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google